



RO International



AMAZON




ELEGANCE ALASKA



ELEGANCE ARCTIC



ELEGANCE BIANCO



ELEGANCE POLARIS

The name of excellence

RO International



IMPERIAL WHITE PLUS



FRENCH BROWN



GRAY WILLIAM



GREY FLURRY



IMPERIAL BEIGE

The name of excellence

RO International




IMPERIAL BROWN



IMPERIAL GREY



IMPERIAL SION



ELEGANCE WHITE



LIGHT EMPREDOR

The name of excellence

RO International

3050x1250 mm
ENGINEERED MARBLE STONE




NILE




NEBULA



NERO PORTORO ANTIQUE



MISSISSIPPI




NERO PORTORO

The name of excellence


RO International



ROYAL MARFIL BEIGE



REGAL BEIGE



REGAL SNOW



ROYAL CREMA




RIO WHITE


The name of excellence

RO International


3050x1250 mm
ENGINEERED MARBLE STONE



ROYAL WHITE




ROSSO LEVANTE



REGAL WHITE



ROYAL MARFIL



SNOW FLAKES PLUS


The name of excellence

Technical Specifications

| Characteristics | Unit | RO International Quartz Value | RO International Marble Value |
|------------------------|--------------------|-------------------------------|-------------------------------|
| Water Absorption | % | < 0.085 | < 0.4 |
| Flexural Strength | Mpa | > 40 | > 21 |
| Hardness | Mohe | 6 to 7 | 3 |
| Apparent Density | Kg/ m ³ | 2400-2700 | 2200-2400 |
| Abrasion Resistance | mm | > 25 | 16.4 - 18 |
| Deviation in Thickness | % | (+/-) 5 | (+/-) 5 |
| Surface Flatness | % | (+/-) 5 | (+/-) 5 |
| Rectangularity | % | (+/-) 0.6 | (+/-) 0.6 |

* Results given above are non-binding and to be used only for reference. Figures are derived from average for different products.

Edge Profiles



The name of excellence